

Watermelon Gummy

Sample ID: 2610AFL1841.6289

Strain: 25mg D9 25mg CBD

Matrix: Other

Type: Other

Unit Weight: 10.1162 g

Internal Lab ID: 25MG CBD 25MG D9

Received: 10/05/2026

Completed: 10/05/2026

Batch#: 4J17WM1

Client

Casper

Lic. #

706 moss hammock way
Sugar land Tx 77479

Elevatedistrous@gmail.com

Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

10/05/2026

Complete



Basic Potency - HPLC

Complete

0.251%

Total THC

0.252%

Total CBD

0.503%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.004	ND	ND	CBN	0.001	0.004	ND	ND
CBDV	0.001	0.004	ND	ND	Δ 9-THC	0.001	0.004	0.251	25.39
CBDa	0.001	0.004	ND	ND	Δ 8-THC	0.001	0.004	ND	ND
CBGa	0.001	0.004	ND	ND	(6aR,9S)-d10-THC	0.002	0.005	ND	ND
CBG	0.001	0.004	ND	ND	(6aR,9R)-d10-THC	0.002	0.005	ND	ND
CBD	0.001	0.004	0.252	25.49	CBC	0.001	0.004	ND	ND
THCV	0.001	0.004	ND	ND	CBCa	0.001	0.004	ND	ND
Δ 8-THCV	0.002	0.005	ND	ND	THCa	0.001	0.004	ND	ND
THCVa	0.001	0.004	ND	ND	Total			0.503	50.88

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 10/05/2026


Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Not Tested
Document ID:
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
10/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.



Certificate of Analysis

Compliance Test

Client Information:
**BIOMINERALES
PHARMA**

2751 Commerce center
Pembroke Park, FL 33023

Manufacturing Facility:
BIOMINERALES PHARMA
2751 Commerce center
Pembroke Park, FL 33023

Batch Data:
Batch # 4J17WM1
Batch Date: 2026-09-17
Extracted From: D9 CBD

Order Details:
Test Reg State: Florida
COA Expiration Date: 2027-09-17

Food Permits:
State: FL - #424832

Order #
BIQ260917-060001
Order Date: 2026-09-17
Sample # AAHZ600

Receipt Date: 2026-09-18
Lab Batch Date: 2026-09-18
Orig. Completion Date: 2026-09-29


Initial Gross Weight: 187.000 g
Net Weight: 180.000 g

Net Weight per Package:
180000.000 mg

Net Weight per Serving:
4500 mg
Servings Per Package:
40

PCR Total Yeast and Mold				Passed
Sample Weight: 503.300 mg				SOP13.017 (qPCR)
Dilution Factor: 8.000				
Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	
Total Yeast/Mold	1000	100000	<LOQ	

Pathogenic Microbiology SAE (MicroArray) Multi State						Passed
Sample Weight: 1036.700 mg						SOP13.019 (Micro Array)
Dilution Factor: 1.000						
Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)	
Aspergillus flavus	1	Absence in 1g	E. Coli	1	Absence in 1g	
Aspergillus fumigatus	1	Absence in 1g	Salmonella	1	Absence in 1g	
Aspergillus niger	1	Absence in 1g	Shiga toxin-producing E. coli (STEC)	1	Absence in 1g	
Aspergillus terreus	1	Absence in 1g				



Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.



Certificate of Analysis

Compliance Test

Client Information:

**BIOMINERALES
PHARMA**

2751 Commerce center
Pembroke Park, FL 33023

Manufacturing Facility:
BIOMINERALES PHARMA
2751 Commerce center
Pembroke Park, FL 33023

Batch Data:
Batch # 4J17WM1
Batch Date: 2026-09-17
Extracted From: D9 CBD

Order Details:
Test Reg State: Florida
COA Expiration Date: 2027-09-17

Food Permits:
State: FL - #424832

Order #
BIQ260917-060001
Order Date: 2026-09-17
Sample # AAHZ600

Receipt Date: 2026-09-18
Lab Batch Date: 2026-09-18
Orig. Completion Date: 2026-09-29

Initial Gross Weight: 187.000 g
Net Weight: 180.000 g

Net Weight per Package:
180000.000 mg

Net Weight per Serving:
4500 mg
Servings Per Package:
40



Heavy Metals

Sample Weight: 253.500 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 197

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.830	100	1500	<LOQ	Lead (Pb)	11.760	100	500	<LOQ
Cadmium (Cd)	0.640	100	500	<LOQ	Mercury (Hg)	0.580	100	3000	<LOQ



Mycotoxins FL

Sample Weight: 587.700 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.550

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	0.304	4.9	20	<LOQ	Aflatoxin G2	0.271	4.9	20	<LOQ
Aflatoxin B2	0.077	4.9	20	<LOQ	Ochratoxin A	0.754	9.8	20	<LOQ
Aflatoxin G1	0.304	4.9	20	<LOQ					



Residual Solvents - FL (CBD)

Sample Weight: 15.600 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.009	1.6	8	<LOQ	Heptane	0.001	13.9	5000	<LOQ
1,2-Dichloroethane	0.000	0.4	2	<LOQ	Hexane	0.068	11.7	250	<LOQ
Acetone	0.015	20.8	750	<LOQ	Isopropyl alcohol	0.005	13.9	500	<LOQ
Acetonitrile	0.060	11.7	60	<LOQ	Methanol	0.001	6.9	250	8.69
Benzene	0.000	0.2	1	<LOQ	Methylene chloride	0.003	24.3	125	<LOQ
Butanes	0.417	25	5000	<LOQ	Pentane	0.037	20.8	750	<LOQ
Chloroform	0.000	0.4	2	<LOQ	Propane	0.031	58.3	5000	<LOQ
Ethanol	0.002	27.8	5000	<LOQ	Toluene	0.001	29.2	150	<LOQ
Ethyl Acetate	0.001	11.1	400	<LOQ	Total Xylenes	0.000	29.2	150	<LOQ
Ethyl Ether	0.005	13.9	500	<LOQ	Trichloroethylene	0.001	4.9	25	<LOQ
Ethylene Oxide	0.004	1	5	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.



Certificate of Analysis

Compliance Test

Client Information:

BIOMINERALES
PHARMA2751 Commerce center
Pembroke Park, FL 33023

Manufacturing Facility:

BIOMINERALES PHARMA
2751 Commerce center
Pembroke Park, FL 33023

Batch Data:

Batch # 4J17WM1
Batch Date: 2026-09-17
Extracted From: D9 CBD

Order Details:

Test Reg State: Florida
COA Expiration Date: 2027-09-17

Food Permits:

State: FL - #424832

Order

BIQ260917-060001

Order Date: 2026-09-17

Sample # AAHZ600

Receipt Date: 2026-09-18

Lab Batch Date: 2026-09-18

Orig. Completion Date: 2026-09-29

Initial Gross Weight: 187.000

g

Net Weight: 180.000 g

Net Weight per Package:

180000.000 mg

Net Weight per Serving:

4500 mg

Servings Per Package:

40



Pesticides

Sample Weight: 587.700 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.550

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	0.399	23.3	300	<LOQ	Fludioxonil	0.360	24.8	3000	<LOQ
Acephate	0.141	24.8	3000	<LOQ	Hexythiazox	0.113	24.8	2000	<LOQ
Acequinocyl	2.178	24.8	2000	<LOQ	Imazalil	0.258	24.8	100	<LOQ
Acetamidiprid	0.140	24.8	3000	<LOQ	Imidacloprid	0.402	24.8	3000	<LOQ
Aldicarb	0.203	24.8	100	<LOQ	Kresoxim Methyl	0.182	24.8	1000	<LOQ
Azoxystrobin	0.188	24.8	3000	<LOQ	Malathion	0.223	24.8	2000	<LOQ
Bifenazate	0.086	24.8	3000	<LOQ	Metalaxyl	0.270	24.8	3000	<LOQ
Bifenthrin	0.100	24.8	500	<LOQ	Methiocarb	0.118	24.8	100	<LOQ
Boscalid	0.595	24.8	3000	<LOQ	Methomyl	0.064	24.8	100	<LOQ
Captan	1.850	323	3000	<LOQ	methyl-Parathion	0.820	24.8	100	<LOQ
Carbaryl	0.122	24.8	500	<LOQ	Mevinphos	0.093	24.8	100	<LOQ
Carbofuran	0.086	24.8	100	<LOQ	Myclobutanil	0.573	24.8	3000	<LOQ
Chlorantraniliprole	0.084	24.8	3000	<LOQ	Naled	0.069	24.8	500	<LOQ
Chlordane	1.410	24.8	100	<LOQ	Oxamyl	0.041	24.8	500	<LOQ
Chlorfenapyr	1.500	24.8	100	<LOQ	Paclobutrazol	0.186	24.8	100	<LOQ
Chlormequat Chloride	0.205	24.8	3000	<LOQ	Pentachloronitrobenzene	0.220	24.8	200	<LOQ
Chlorpyrifos	0.109	24.8	100	<LOQ	Permethrin	0.624	24.8	1000	<LOQ
Clofentezine	0.212	24.8	500	<LOQ	Phosmet	0.127	24.8	200	<LOQ
Coumaphos	0.206	24.8	100	<LOQ	Piperonylbutoxide	0.149	24.8	3000	<LOQ
Cyfluthrin	0.980	24.8	1000	<LOQ	Prallethrin	1.476	24.8	400	<LOQ
Cypermethrin	0.985	24.8	1000	<LOQ	Propiconazole	0.294	24.8	1000	<LOQ
Daminozide	1.655	24.8	100	<LOQ	Propoxur	0.100	24.8	100	<LOQ
Diazinon	0.212	24.8	200	<LOQ	Pyrethrins	0.067	12.9	1000	<LOQ
Dichlorvos	1.130	24.8	100	<LOQ	Pyridaben	0.140	24.8	3000	<LOQ
Dimethoate	0.063	24.8	100	<LOQ	Spinetoram	0.424	24.8	3000	<LOQ
Dimethomorph	2.581	24.8	3000	<LOQ	Spinosad	0.028	24.8	3000	<LOQ
Ethoprophos	0.151	24.8	100	<LOQ	Spiromesifen	0.120	24.8	3000	<LOQ
Etofenprox	0.172	24.8	100	<LOQ	Spirotetramat	0.211	24.8	3000	<LOQ
Etoxazole	0.866	24.8	1500	<LOQ	Spiroxamine	0.533	24.8	100	<LOQ
Fenhexamid	0.588	24.8	3000	<LOQ	Tebuconazole	0.230	24.8	1000	<LOQ
Fenoxycarb	0.274	24.8	100	<LOQ	Thiacloprid	0.170	24.8	100	<LOQ
Fenpyroximate	0.198	24.8	2000	<LOQ	Thiamethoxam	0.179	24.8	1000	<LOQ
Fipronil	0.317	24.8	100	<LOQ	Trifloxystrobin	0.134	24.8	3000	<LOQ
Flonicamid	0.466	24.8	2000	<LOQ					

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.